

Table 21C
2002 Pediatric Nutrition Surveillance (1)
California
Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 8 / 21 / 03

Summary of Trends in Anemia by Age (3)						
Age and Year		Anemia Low Hb/Hct (4)				
		Number	%			
6 - 11 Months				18 - 23 Months		
	2002	79,546	16.9		2002	37,819 14.7
	2001	72,890	17.2		2001	35,859 15.3
	2000	90,251	17.0		2000	43,825 15.2
	1999	95,410	16.2		1999	48,650 14.6
	1998	103,477	15.9		1998	52,097 14.2
	1997	112,484	15.9		1997	53,282 14.7
	1996	122,503	16.6		1996	56,653 15.7
	1995	127,844	17.7		1995	56,213 16.0
	1994	131,359	17.3		1994	53,861 16.3
	1993	127,931	17.3		1993	48,499 16.1
12 - 17 Months				24 - 35 Months		
	2002	78,938	14.3		2002	94,957 15.2
	2001	71,556	14.9		2001	86,398 16.0
	2000	89,041	14.6		2000	103,927 15.4
	1999	91,497	14.6		1999	107,722 15.1
	1998	95,698	14.2		1998	115,473 15.5
	1997	99,327	14.1		1997	121,505 16.4
	1996	105,778	14.6		1996	127,287 16.8
	1995	103,484	15.0		1995	122,422 17.1
	1994	101,388	14.9		1994	120,570 17.2
	1993	94,776	14.7		1993	105,096 17.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 21C
2002 Pediatric Nutrition Surveillance (1)
California
Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Page: 2
Run Date: 8 / 21 / 03

Summary of Trends in Anemia by Age (3)								
Age and Year		Anemia Low Hb/Hct (4)			Age and Year		Anemia Low Hb/Hct (4)	
		Number	%		Number	%		
36 - 59 Months					Total All Age Groups			
	2002	191,822	9.7			2002	483,082	13.1
	2001	179,090	10.3			2001	445,793	13.7
	2000	223,723	9.9			2000	550,767	13.3
	1999	238,934	9.8			1999	582,213	13.0
	1998	255,391	10.1			1998	622,136	13.0
	1997	265,483	10.6			1997	652,081	13.5
	1996	269,881	10.8			1996	682,102	14.0
	1995	254,639	11.3			1995	664,602	14.6
	1994	240,786	11.3			1994	647,964	14.6
	1993	207,022	11.1			1993	583,324	14.5
All Other/Unknown								
	2002	0	*					
	2001	0	*					
	2000	0	*					
	1999	0	*					
	1998	0	*					
	1997	0	*					
	1996	0	*					
	1995	0	*					
	1994	0	*					
	1993	0	*					

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 21C
2002 Pediatric Nutrition Surveillance (1)
California
Summary of Trends in Anemia by Age
Children Aged 5 to <20 Years (2)
Standard Year (School Age Coding)

Page: 1
Run Date: 10 / 6 / 03

Summary of Trends in Anemia by Age (3)						
Age and Year		Anemia Low Hb/Hct (4)				
		Number	%			
5 - 8 Years	2002	187,390	12.1	12 - 14 Years	2002	42,748 8.1
	2001	178,718	12.5		2001	36,983 8.6
	2000	217,537	12.7		2000	43,883 8.6
	1999	225,579	12.1		1999	47,265 8.1
	1998	220,899	12.3		1998	39,854 8.2
	1997	216,476	13.0		1997	36,106 8.9
	1996	204,938	13.4		1996	33,561 9.1
	1995	193,821	14.3		1995	30,582 9.5
	1994	184,221	14.1		1994	27,561 9.8
	1993	180,889	13.8		1993	24,643 9.5
9 - 11 Years	2002	107,377	11.0	12 - 14 Years	2002	44,291 14.4
	2001	99,566	11.3		2001	38,553 15.3
	2000	114,434	11.5		2000	45,103 15.7
	1999	120,324	10.8		1999	49,787 14.4
	1998	101,200	11.0		1998	41,497 14.0
	1997	89,282	12.0		1997	37,268 15.4
	1996	79,646	12.1		1996	34,898 15.1
	1995	73,310	13.1		1995	32,784 15.0
	1994	68,042	13.1		1994	29,058 15.7
	1993	63,150	13.1		1993	26,240 15.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 21C
2002 Pediatric Nutrition Surveillance (1)
California
Summary of Trends in Anemia by Age
Children Aged 5 to <20 Years (2)
Standard Year (School Age Coding)

Page: 2
Run Date: 10 / 6 / 03

Summary of Trends in Anemia by Age (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
15 - 19 Years				Total All Age Groups			
	2002	29,619	12.0		2002	440,239	12.0
	2001	26,538	11.9		2001	406,633	12.4
	2000	33,051	12.0		2000	486,065	12.6
	1999	34,791	11.1		1999	512,607	11.9
	1998	34,607	11.1		1998	473,018	12.1
	1997	31,949	11.7		1997	443,223	12.9
	1996	29,805	12.0		1996	414,942	13.2
	1995	26,342	12.8		1995	384,195	13.8
	1994	22,967	13.4		1994	355,349	13.8
	1993	20,608	12.1		1993	336,328	13.6
15 - 19 Years							
	2002	28,814	16.4				
	2001	26,275	18.0				
	2000	32,057	18.0				
	1999	34,861	17.2				
	1998	34,961	17.5				
	1997	32,142	17.4				
	1996	32,094	17.6				
	1995	27,356	16.0				
	1994	23,500	16.6				
	1993	20,798	16.8				

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.